HellermannTyton

-	
TAG35T2-250	
Ar	ticle Number: 596-00044
Th	ermal Transfer Label, 2.0" X .375", 2 Across, Cloth, White, 10000/RL
	¢ RoHS
HellermannTyton ¥	RoHS
Download drawing	spec sheet
Base Data	
Local Order Number	TAG35T2-250
Туре	TAG35T2
Color	White (WH)
Features and Benefits	 Thermal transfer labels are made with high performance materials for long term industrial applications. Labels can be printed in any standard thermal transfer printer giving the user options for printing and eliminating the
	need to be dedicated to one printer model.
	• The labels are available in a wide variety of sizes so that finding a label for a particular application is easy.
Product Description	Labels are made with various high performance materials including polyester, metalized polyester, clear polyester, cloth, polyimide and the Durattach label stock. The construction includes an aggressive acrylic adhesive and
	abrasion and chemical resistant top coatings that are made to accept ink from a thermal transfer printer. The produc
	is supplied on rolls on a 3" cardboard core.
Short Description	Thermal Transfer Label, 2.0" X .375", 2 Across, Cloth, White, 10000/RL
Product Dimensions	
Width W (Imperial)	2.0 "
Width W (Metric)	50.8 mm
Height H (Imperial)	0.375 "
Height H (Metric)	9.52 mm
Horizontal Repeat HR (imperial)	2.0 "
Horizontal Repeat HR (metric)	50.8 mm
Print Method	Thermal Transfer
Vertical Repeat VR (metric)	12.7 mm
Vertical Repeat VR (imperial)	0.50 "
Width of Liner WL (imperial)	4.10 "
Width of Liner WL (metric)	104.14 mm
Logistics and Packaging	

Quantity Per	reel
Package Quantity	10000
Package Quantity (Metric)	10000
Carton Quantity	1
Labels per Row	2

Material Shortcut	250
Adhesive Shortcut	Acrylic
Adhesive	Acrylic
Adhesive Operating Temperature	-40°F to +248°F (-40°C to +120°C)
Operating Temperature	-40°F to +248°F (-40°C to +120°C)
ROHS Compliant	Yes

© HellermannTyton 2015