



558-00502



Article Number: 558-00502

Solid Colored Continuous Roll, Reflective, 2.0" X 250', Polyester, Red, 250ft/RL

 RoHS

 Download spec sheet

Base Data

Local Order Number	558-00502
Type	HT2RDHB250
Color	Red (RD)
Features and Benefits	<ul style="list-style-type: none">• Continuous Polyester Labels are made with UV stable materials for long outdoor life.• Labels use UV stable permanent ink.• Continuous polyester is provided in continuous rolls so that the markers can be printed and cut to any length using HellermannTyton thermal trasnfer printing systems.
Product Description	Continuous Polyester Labels are made with UV stable materials for long outdoor life. The labels are made with UV stable permanent inks for long term fade resistance. The Continuous Polyester is provided in continuous rolls so that the markers can be printed and cut to any length using HellemannTyton thermal transfer printing systems.
Short Description	Solid Colored Continuous Roll, Reflective, 2.0" X250', Polyester, Red, 250ft/RL

Product Dimensions

Length L (Imperial)	250.0 ft
Length L (Metric)	76.2 m
Width W (Imperial)	2.0 "
Width W (Metric)	50.8 mm
Height H (Imperial)	2.0 "
Height H (Metric)	50.8 mm
Print Method	Thermal Transfer
Vertical Repeat VR (metric)	50.8 mm
Vertical Repeat VR (imperial)	2.0 "
Width of Liner WL (imperial)	2.0 "
Width of Liner WL (metric)	50.8 mm

Logistics and Packaging

Quantity Per	reel
Package Quantity	250.0 ft
Package Quantity (Metric)	250 ft
Labels per Column	1
Labels per Row	1

Material and Specifications

Material	Type 840/926, Polyester (PET), white (WH) UV stable w/ clear Polyester laminate
Material Shortcut	840/926

Adhesive Shortcut Acrylic

Adhesive Acrylic

Adhesive Operating Temperature -40°F to +302°F (-40°C to +150°C)

Operating Temperature -40°F to +302°F (-40°C to +150°C)

ROHS Compliant Yes