HellermannTyton

ERM1UV	
A	ticle Number: 904-00689
R	ack Mount Fiber Enclosure-Unloaded, no door, Accepts 3 Adapter Panels, 1U, BK, 1/pkg
Download drawing Download	d spec sheet
Local Order Number	FERM1UV
Туре	FERM1UV
Color	Black (BK)
Features and Benefits	Removable front and rear covers provide easy access to cables.
	Slide-out tray with easy-to-grip raised edge. Schlarmona and for first in a lock monoment
	 Cable management spools for effective slack management. Optional splice trays to assist with cable splicing.
	Panel positioning for easier patch cords access.
	Round edge plastic fiber saddles for easier patch-cord routing.
	Meet ANSI/TIA/EIA 568-B standards.
Product Description	HellermannTyton rack mount enclosures are durable and support up to 1728 fibers. Rack enclosures work with standard 19" and 23" equipment racks and are designed to work with standard LGX adapter panels. HellermannTyto offers standard and GSA compliant rack mount enclosures. GSA compliant enclosures meet Trade Agreement Act (TAA) requirements, making them acceptable for use in US government projects.
Technical Description	HellermannTyton rack mount fiber enclosures provide a secure termination solution for LAN applications and are compatible with standard 19" and 23" equipment racks. Rack mount enclosures accommodate up to 2304 fibers, mount easily and provide easy cable routing access inside the enclosure. Choose from enclosure options to
	accommodate 3, 6 or 12 standard LGX-style adapter panels.

Product Dimensions

Length L (Imperial)	8.15 "
Length L (Metric)	207.0 mm
Width W (Imperial)	19.0 "
Width W (Metric)	482.6 mm
Height H (Imperial)	1.75 "
Height H (Metric)	44.5 mm

Logistics and Packaging

Quantity Per	box
Package Quantity	1
Package Quantity (Metric)	1

Material and Specifications

Material Metal
Material Shortcut Metal

© HellermannTyton 2015