



SW2015




Revision level			Revision Record	Changed	Date	Approved	Date
Drawing	State	Part					
01.2	Design Release		SEE ECN# 013740	CAS	2/21/2018	KAC	2/21/2018




NPL25X13



NPL47X13



NPL63X13



ROLL
DISPENSING
FEED
DIRECTION
↓

- NOTES:
 1. ADHESIVE: ACRYLIC
 2. ADHESIVE OPERATING TEMPERATURE -40° F TO +302° F (-40° C TO +150° C)
 3. RoHS COMPLIANT
 4. ROLL CORE SIZE 3"



GLOBAL PART NUMBER	PART NUMBER	TYPE	WIDTH	HEIGHT	COLOR	QUANTITY PER ROLL
NPL25X13-PET-WH	596-00184	NPL25X13	1.0	0.5	WHITE	500
NPL47X13-PET-WH	596-00185	NPL47X13	1.85	0.5		
NPL63X13-PET-WH	596-00183	NPL63X13	2.5	0.5		

Material POLYESTER	Units: inches	The copyright of this drawing is reserved by HellermannTyton. It is issued on condition that it is not reproduced, copied, or disclosed to a third party, either wholly or in part, without the consent of HellermannTyton.	Drawn	GRW	3/2/2017	Article/Type-No NPL_	Scale	
	Dimension without tolerances details to: .xxxx = ±.0005 .xxx = ±.005 .xx = ±.01 .x = ±.03 None = ±.06 ∠ = ±0.5° Dimension Formatted in/[mm]		Approved	KAC	3/2/2017		Title	Project Number
	 North America Email: corp@htamericas.com Web: www.hellermann.tyton.com			THERMAL TRANSFER LABEL, FOR USE ON WHITE INSERTS		Drawing-No 17-0703-001-CSU	PRP 17-0703	
				PRODUCTION : Phase			Format AH	
							Sheet 1/1	